

Question Paper Preview

Question Paper Name:

Civil Engineering 11th May 2018 Shift1

Subject Name:

Civil Engineering

Duration:

120

Display Number Panel:

Civil Engineering

Group All Questions:

Yes

No

Question Number : 1 Question Id : 2203604321 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Single Line Question Option : No Option Orientation : Vertical

The number of linearly independent Eigen vectors of $\begin{bmatrix} 2 & 1 \\ 0 & 2 \end{bmatrix}$ is _____.

- Options :
1.

0
2.

1
3.

2
4.

infinite

Question Number : 2 Question Id : 2203604322 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes

Single Line Question Option : No Option Orientation : Vertical

If S is any closed surface enclosing a volume V and $\vec{F} = x\vec{i} + 2y\vec{j} + 3z\vec{k}$ then

$\iint_S \vec{F} \cdot \vec{N} \, ds =$ _____.

- Options :
1.

V

2. $2V$

3. $3V$

4. $6V$

Question Number : 3 Question Id : 2203604323 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

The value of $\nabla^2(r^n) = \underline{\hspace{2cm}}$ where $r = |\bar{R}|$, $\bar{R} = x\bar{i} + y\bar{j} + z\bar{k}$.

Options :

1. $n.r^{n-1}$

2. $n.r^{n-2}$

3. $n(n+1).r^{n-2}$

4. $n(n-1).r^{n-2}$

Question Number : 4 Question Id : 2203604324 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

An integrating factor of $y^2 dx + (1 + xy) dy = 0$, is $\underline{\hspace{2cm}}$.

Options :

1. e^y

2. e^x

3. e^{xy}

4. e^{-xy}

Question Number : 5 Question Id : 2203604325 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

The two-dimensional heat equation in steady state condition is $\underline{\hspace{2cm}}$

1. $\frac{\partial^2 u}{\partial x^2} = C^2 \frac{\partial u}{\partial t}$

2. $\left(\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} \right) C^2 = \frac{\partial^2 u}{\partial t^2}$

3. $\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = C^2 \frac{\partial u}{\partial t}$

4. $\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$

Question Number : 6 Question Id : 2203604326 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

The function $f(z) = xy + iy$ is

Options :

1. Continuous everywhere but not analytic.
2. Discontinuous but analytic everywhere.
3. Continuous and analytic everywhere.
4. Neither Continuous nor analytic.

Question Number : 7 Question Id : 2203604327 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

If $f(t)$ is a probability density function of a continuous random variable ' t ' defined

by $f(t) = \begin{cases} 1+t, & -1 \leq t \leq 0 \\ 1-t, & 0 \leq t \leq 1 \end{cases}$, then the standard deviation of random variable is ____

Options :

1. $\frac{1}{\sqrt{3}}$

2. $\frac{1}{\sqrt{6}}$

3. $\frac{1}{3}$

4. $\frac{1}{6}$

Question Number : 8 Question Id : 2203604328 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

The density function of a random variable X is given by $f(x) = \begin{cases} e^{-x}, & x > 0 \\ 0, & \text{Otherwise} \end{cases}$ then the variance of X is

Options :

1. 0

2. 1

3. 2

4. $\frac{1}{2}$

Question Number : 9 Question Id : 2203604329 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

The solution of $y' = y + x, y(0) = 1$, by Euler's method for y at $x = 0.2$ is _____.

Options :

1. 1.2

2. 1.07

3. 1.15

4. 1.48

Question Number : 10 Question Id : 2203604330 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

The Newton-Raphson iterative formula is _____, $n = 0, 1, 2, \dots$

Options :

1.
$$x_{n+1} = x_n - \frac{f'(x_n)}{f(x_n)}$$

2.
$$x_{n+1} = x_n - \frac{f(x_n)}{f'(x_n)}$$

3.
$$x_{n+1} = x_n + \frac{f(x_n)}{f'(x_n)}$$

4.
$$x_{n+1} = x_n + \frac{f'(x_n)}{f(x_n)}$$

Question Number : 11 Question Id : 2203604331 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

For a prismatic bar under uni-axial tension, the aspect angle defining the oblique section on which the normal and shear stresses are equal is

Options :

1. 90°

2. 45°

3. 60°


90°

4.


Question Number : 12 Question Id : 2203604332 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

The state of pure shear is represented by one of the following Mohr's circles. Identify the correct one.


Options :




1.



2.



3.



4.

Question Number : 13 Question Id : 2203604333 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

A cement with more Tricalcium silicate gives

Options :

1. early strength of concrete
2. later strength of concrete
3. workability of concrete
4. creep of concrete

Question Number : 14 Question Id : 2203604334 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

In a fillet weld, the weakest section is the

Options :

1. smaller side of the fillet
2. throat of the fillet
3. side perpendicular to force
4. side parallel to force

Question Number : 15 Question Id : 2203604335 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Rankine Gordon formula for buckling is valid for

1. short and long columns

$$\frac{l^2}{12ED}$$

4.

Question Number : 18 Question Id : 2203604338 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

A cantilever beam of span 'L' is loaded with a concentrated load 'W' at the free end.

The ratio of bending moment at mid-span to the maximum bending moment is

Options :

1. 2

2. $\frac{1}{2}$

3. L

4. $\frac{L}{2}$

Question Number : 19 Question Id : 2203604339 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

Separation of water from the concrete mix is known as

Options :

1. Bleeding

2. Shrinkage

3. Segregation

4. Creep

Question Number : 20 Question Id : 2203604340 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

In RCC beams, as the percentage area of tension steel increases

Options :

1. depth of neutral axis increases

2. zero

3. 3

4. 2

Question Number : 24 Question Id : 2203604344 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

If a member carries a tensile force P on its area of cross section A , the normal stress introduced on an inclined plane making an angle θ with its transverse plane, is

Options :

1. $(P/A) \sin^2\theta$

2. $(P/A) \cos^2\theta$

3. $(P/A) \tan^2\theta$

4. $(P/2A) \sin^2\theta$

Question Number : 25 Question Id : 2203604345 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

U_1 and U_2 are the strain energies stored in a prismatic bar due to axial forces P_1 and P_2 respectively. If the strain energy stored in the same bar due to combined action of P_1 and P_2 is denoted by U , then which of the following is correct?

Options :

1. $U = U_1 + U_2$

2. $U = U_1 U_2$

3. $U < (U_1 + U_2)$

4. $U > (U_1 + U_2)$

Question Number : 26 Question Id : 2203604346 Question Type : MCQ Option Shuffling : Yes

Why are intermediate vertical stiffeners provided

2. $\frac{Wl}{8r}$

3. $\frac{W^2 l}{8r}$

4. $\frac{W^2 l}{4r^2}$

Question Number : 29 Question Id : 2203604349 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

A three-hinged semicircular arch of radius 'R' carries a concentrated load 'W' at the crown. Then the horizontal thrust acting on the arch at the hinge is

Options :

1. $W/2$

2. $W/(2\pi)$

3. $2W/3$

4. $4W/(3\pi)$

Question Number : 30 Question Id : 2203604350 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

The ratio of modulus of rigidity to bulk modulus for a Poission's ratio of 0.25 is

Options :

1. $2/3$

2. $3/5$

3. 1.0

4. $2/5$

Question Number : 31

3. 384

4. 584

Question Number : 34 Question Id : 2203604354 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

When both ends of a column are fixed, the buckling load is P . If one end of the column is made free, the value of buckling load changes to

Options :

1. $P/4$

2. $2P$

3. $P/16$

4. $P/2$

Question Number : 35 Question Id : 2203604355 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

The shape of the Influenced Line Diagram for horizontal thrust in a symmetric three-hinged parabolic arch is

Options :

1. rectangle

2. triangle

3. trapezoidal

4. parabolic

Question Number : 36 Question Id : 2203604356 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

A beam curved in plan needs to be designed for

Options :

1. bending moment and shear only
2. bending moment and torsion only
3. shear and torsion only
4. bending moment, shear and torsion

Question Number : 37 Question Id : 2203604357 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

A simply supported beam AB, 6 m long is subjected to a clockwise couple of 90 kN-m at A and an anticlockwise couple of 48 kN-m at B. The support reaction at B is

Options :

1. 10 kN
2. 12 kN
3. 7 kN
4. 11.5 kN

Question Number : 38 Question Id : 2203604358 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

The deformation due to sustained loading is

Options :

1. creep
2. fracture
3. fatigue
4. yielding

Question Number : 39 Question Id : 2203604359 Question Type : MCQ Option Shuffling : Yes Display Question Number : Yes
Single Line Question Option : No Option Orientation : Vertical

A fl

- <

If '<

