

CAT 2022 Slot 1 QA

Section : QA

Q.1 Pinky is standing in a queue at a ticket counter. Suppose the ratio of the number of persons standing ahead of Pinky to the number of persons standing behind her in the queue is 3 : 5. If the total number of persons in the queue is less than 300, then the maximum possible number of persons standing ahead of Pinky is

Case Sensitivity: No

Answer Type: Equal

Possible Answer: 111

Given 112

Answer :

Question Type : SA

Question ID : 48916815401

Status : Answered

Q.2 The largest real value of a for which the equation $|x + a| + |x - 1| = 2$ has an infinite number of solutions for x is

- Ans
- ☒ 1. 2
 - ☒ 2. -1
 - ☒ 3. 0
 - ☒ 4. 1

Question Type : MCQ

Question ID : 48916814764

Status : Answered

Chosen Option : 4

Q.3 The average of three integers is 13. When a natural number n is included, the average of these four integers remains an odd integer. The minimum possible value of n is

- Ans ☒ 1. 5
☒ 2. 1
☒ 3. 3
☒ 4. 4

Question Type : MCQ

Question ID : 48916814773

Status : Answered

Chosen Option : 3

Q.4 Let A be the largest positive integer that divides all the numbers of the form $3^k + 4^k + 5^k$, and B be the largest positive integer that divides all the numbers of the form $4^k + 3(4^k) + 4^{k+2}$, where k is any positive integer. Then $(A + B)$ equals

Case Sensitivity: No

Answer Type: Equal

Possible Answer: 82

Given --
 Answer :

Question Type : SA

Question ID : 48916815393

Status : Not Answered

Q.5 In a village, the ratio of number of males to females is 5 : 4. The ratio of number of literate males to literate females is 2 : 3. The ratio of the number of illiterate males to illiterate females is 4 : 3. If 3600 males in the village are literate, then the total number of females in the village is

Case Sensitivity: No

Answer Type: Equal

Possible Answer: 43200

Given 5400
 Answer :

Question Type : SA

Question ID : 48916814391

Status : Answered

Q.6 Let ABCD be a parallelogram such that the coordinates of its three vertices A, B, C are (1, 1), (3, 4) and (-2, 8), respectively. Then, the coordinates of the vertex D are

- Ans ☒ 1. (-4, 5)
☒ 2. (-3, 4)
☒ 3. (0, 11)
☒ 4. (4, 5)

Question Type : MCQ

Question ID : 48916814725

Status : Not Answered

Chosen Option : --

Q.7 Alex invested his savings in two parts. The simple interest earned on the first part at 15% per annum for 4 years is the same as the simple interest earned on the second part at 12% per annum for 3 years. Then, the percentage of his savings invested in the first part is

- Ans
- ☒ 1. 60%
 - ☒ 2. 62.5%
 - ☒ 3. 37.5%
 - ☒ 4. 40%

Question Type : **MCQ**
 Question ID : **48916814720**
 Status : **Answered**
 Chosen Option : 1

Q.8 The average weight of students in a class increases by 600 gm when some new students join the class. If the average weight of the new students is 3 kg more than the average weight of the original students, then the ratio of the number of original students to the number of new students is

- Ans
- ☒ 1. 1 : 2
 - ☒ 2. 4 : 1
 - ☒ 3. 1 : 4
 - ☒ 4. 3 : 1

Question Type : **MCQ**
 Question ID : **48916813756**
 Status : **Answered**
 Chosen Option : 2

Q.9 A mixture contains lemon juice and sugar syrup in equal proportion. If a new mixture is created by adding this mixture and sugar syrup in the ratio 1 : 3, then the ratio of lemon juice and sugar syrup in the new mixture is

- Ans
- ☒ 1. 1 : 7
 - ☒ 2. 1 : 6
 - ☒ 3. 1 : 5
 - ☒ 4. 1 : 4

Question Type : **MCQ**
 Question ID : **48916814783**
 Status : **Answered**
 Chosen Option : 4

Q.10 Amal buys 110 kg of syrup and 120 kg of juice, syrup being 20% less costly than juice, per kg. He sells 10 kg of syrup at 10% profit and 20 kg of juice at 20% profit. Mixing the remaining juice and syrup, Amal sells the mixture at ₹ 308.32 per kg and makes an overall profit of 64%. Then, Amal's cost price for syrup, in rupees per kg, is

Case Sensitivity: No

Answer Type: Equal

Possible Answer: 160

Given --
 Answer :

Question Type : **SA**
 Question ID : **48916814394**
 Status : **Not Answered**

Q.11 A trapezium ABCD has side AD parallel to BC, $\angle BAD = 90^\circ$, BC = 3 cm and AD = 8 cm. If the perimeter of this trapezium is 36 cm, then its area, in sq. cm, is

Case Sensitivity: No

Answer Type: Equal

Possible Answer: 66

Given 3

Answer :

Question Type : SA

Question ID : 48916814398

Status : Answered

Q.12 All the vertices of a rectangle lie on a circle of radius R . If the perimeter of the rectangle is P , then the area of the rectangle is

Ans

☒ 1. $\frac{P^2}{16} - R^2$

☒ 2. $\frac{P^2}{8} - 2R^2$

☒ 3. $\frac{P^2}{2} - 2PR$

☒ 4. $\frac{P^2}{8} - \frac{R^2}{2}$

Question Type : MCQ

Question ID : 48916814799

Status : Not Answered

Chosen Option : --

Q.13 Let a, b, c be non-zero real numbers such that $b^2 < 4ac$, and $f(x) = ax^2 + bx + c$. If the set S consists of all integers m such that $f(m) < 0$, then the set S must necessarily be

Ans

☒ 1. either the empty set or the set of all integers

☒ 2. the set of all integers

☒ 3. the set of all positive integers

☒ 4. the empty set

Question Type : MCQ

Question ID : 48916814814

Status : Not Answered

Chosen Option : --

Q.14 Let a and b be natural numbers. If $a^2 + ab + a = 14$ and $b^2 + ab + b = 28$, then $(2a + b)$ equals

Ans

☒ 1. 8

☒ 2. 9

☒ 3. 7

☒ 4. 10

Question Type : MCQ

Question ID : 48916814695

Status : Answered

Chosen Option : 4

Q.15 In a class of 100 students, 73 like coffee, 80 like tea and 52 like lemonade. It may be possible that some students do not like any of these three drinks. Then the difference between the maximum and minimum possible number of students who like all the three drinks is

- Ans ☒ 1. 48
☒ 2. 52
☒ 3. 53
☒ 4. 47

Question Type : **MCQ**
 Question ID : **48916814755**
 Status : **Answered**
 Chosen Option : **4**

Q.16 Trains A and B start traveling at the same time towards each other with constant speeds from stations X and Y, respectively. Train A reaches station Y in 10 minutes while train B takes 9 minutes to reach station X after meeting train A. Then the total time taken, in minutes, by train B to travel from station Y to station X is

- Ans ☒ 1. 12
☒ 2. 6
☒ 3. 15
☒ 4. 10

Question Type : **MCQ**
 Question ID : **48916814786**
 Status : **Answered**
 Chosen Option : **4**

Q.17 Ankita buys 4 kg cashews, 14 kg peanuts and 6 kg almonds when the cost of 7 kg cashews is the same as that of 30 kg peanuts or 9 kg almonds. She mixes all the three nuts and marks a price for the mixture in order to make a profit of ₹1752. She sells 4 kg of the mixture at this marked price and the remaining at a 20% discount on the marked price, thus making a total profit of ₹744. Then the amount, in rupees, that she had spent in buying almonds is

- Ans ☒ 1. 2520
☒ 2. 1176
☒ 3. 1680
☒ 4. 1440

Question Type : **MCQ**
 Question ID : **48916814715**
 Status : **Answered**
 Chosen Option : **3**

Q.18 For natural numbers x, y , and z , if $xy + yz = 19$ and $yz + xz = 51$, then the minimum possible value of xyz is

Case Sensitivity: No
 Answer Type: Equal
 Possible Answer: 34

Given --
 Answer :

Question Type : **SA**
 Question ID : **48916815394**
 Status : **Not Answered**

Q.19 Let $0 \leq a \leq x \leq 100$ and $f(x) = |x - a| + |x - 100| + |x - a - 50|$. Then the maximum value of $f(x)$ becomes 100 when a is equal to

- Ans ☒ 1. 0
☒ 2. 25
☒ 3. 100
☒ 4. 50

Question Type : **MCQ**

Question ID : **48916814704**

Status : **Not Answered**

Chosen Option : --

Q.20

For any real number x , let $[x]$ be the largest integer less than or equal to x . If $\sum_{n=1}^N \left[\frac{1}{5} + \frac{n}{25} \right] = 25$ then N is

Case Sensitivity: No

Answer Type: Equal

Possible Answer: 44

Given --

Answer :

Question Type : **SA**

Question ID : **48916815397**

Status : **Not Answered**

Q.21 For any natural number n , suppose the sum of the first n terms of an arithmetic progression is $(n + 2n^2)$. If the n^{th} term of the progression is divisible by 9, then the smallest possible value of n is

- Ans ☒ 1. 8
☒ 2. 7
☒ 3. 4
☒ 4. 9

Question Type : **MCQ**

Question ID : **48916814735**

Status : **Not Answered**

Chosen Option : --

Q.22 The number of ways of distributing 20 identical balloons among 4 children such that each child gets some balloons but no child gets an odd number of balloons, is

Case Sensitivity: No

Answer Type: Equal

Possible Answer: 84

Given 3

Answer :

Question Type : **SA**

Question ID : **48916815414**

Status : **Answered**