


# GPAT QUESTION PAPER 2014 WITH ANSWER KEY


## GPAT QUESTIONS

- \_\_\_\_\_, system does not have orifice to release the drug.  
(a) Elementary Osmotic Pump (b) L-OROS  
(c) Sandwich Osmotic Pump Tablet (d) Controlled Porosity Osmotic Pump Tablet
- In which rearrangement reaction, Isocyanate is formed?  
(a) Curtius (b) Lossen (c) Both A & B (d) None
- Chitin gets converted in to Chitosan upon:  
(a) Acetylation (b) Deacetylation (c) Oxidation (d) Reduction
- All of the following are leaf constants EXCEPT  
(a) Vein-islet number (b) Vein- termination number  
(c) Stomatal number (d) Leaf fiber
- Zinc chloride is added to mouth wash because it acts as  
(a) Fragrance (b) Astringent (c) Cooling agent (d) Antibacterial
- The choice of route of administration plays an important role in action of directly acting cholinomimetic . Adverse effect of choline esters that may be avoided by selection of an appropriate route of administration is  
(a) Bradycardia (b) Hypotension (c) Delirium (d) Sweating
- Sieve size 80 has opening of  
(a) 0.100 mm (b) 0.125 mm (c) 0.150 mm (d) 0.180 mm
- The ideal saponification value for suppository base is  
(a) 50-100 (b) 100-150 (c) 150-200 (d) 200-500
- o, m, p- isomers can be differentiated on the basis of:  
(a) Chemical shift (b) Coupling constant  
(c) Extinction coefficient (d) Dipole moment
- Which of the following drug comes under Schedule C<sub>1</sub>  
(a) Opium (b) Ergot (c) Fish liver oil (d) Insulin
- Source of amla is  
(a) Phyllanthus inruri (b) Terminiliachebuka  
(c) Terminalia Bacteria (d) Embilca officinalis
- What is the unit of dielectric constant  
(a) Dyne (b) Debey (c) Farad/meter (d) No Unit
- Monitoring of plasma drug concentration is required while using:  
(a) Antihypertensive drugs (b) Levodopa  
(c) Lithium carbonate (d) MAO inhibitors

14. Of the following antibiotics, which one would be acceptable to use when treating penicillin resistant *S. pneumoniae* otitis media  
 (a) Azithromycin (b) Clarithromycin (c) Cefuroxime (d) Cefaclor
15. Addition of which of the following to a large volume parntal product is not advised  
 (a) Active pharmaceutical ingredient (b) Preservatives  
 (c) Buffering agents (d) Tonicity adjusters
16. A drug suspension decomposes by zero-order kinetics with a rate constant of  $2 \text{ mg mL}^{-1} \text{ month}^{-1}$  if the initial concentration is  $100 \text{ mg mL}^{-1}$  what is the shelf life  
 (a) 2 months (b) 3 months (c) 4 months (d) 5 months
17. Sanguinarine belongs to the subgroup of:  
 (a) Morphinans (b) Benzyl isoquinolines  
 (c) Phthalide isoquinolines (d) Benzophenanthrenes
18. Antidote for paracetamol overdosing is  
 (a) Atropine (b) N-Acetyl cysteine (c) Glutathione (d) Theophylline
19. Which one of the following drug combination is contraindicated  
 (a) Glyceryl trinitrate and sildenafil (b) Amoxicillin and clavulanic acid  
 (c) Losartan and hydrochlorothiazide (d) Pyrimthamine and sulfadoxine
20. Which sugar is suitable for diabetic patient  
 (a) Fructose (b) Lactose (c) Mannitol (d) Sucralose
21. Headquarter of Bureau of Indian standards is situated at  
 (a) New delhi (b) Mumbai (c) Kolkata (d) Chennai
22. Identity the structure of barbituric acid



23. Ehtics for pharmacist are put forth by  
 (a) PCI (b) CDSCO (c) AICTE (d) WHO
24. What is the IUPAC name of the following compound



- (a) Bicyclo[2.2.2] octane (b) Tricyclo[2.2.2] ontane  
 (c) Bicyclo[2.2.0] ontane (d) Bicyclo [2.2.1] heptanes

25. Morphine does not cause:
- |                            |                    |
|----------------------------|--------------------|
| (a) Constriction of pupil  | (b) CNS depression |
| (c) Respiratory depression | (d) Diarrhoea      |
26. Which of the following is seed gum
- |                 |                     |
|-----------------|---------------------|
| (P) Gaur gum    | (Q) Locust bean gum |
| (R) Xanthan gum | (S) Gellan gum      |
| (a) P and Q     | (b) R and S         |
| (c) Q and R     | (d) P and S         |
27. The cancer that derived from ectoderm or endoderm of epithelial cells is
- |               |             |               |             |
|---------------|-------------|---------------|-------------|
| (a) Carcinoma | (b) Sarcoma | (c) Leukaemia | (d) Myeloid |
|---------------|-------------|---------------|-------------|
28. Which of the following is/are marine anticancer
- |                 |                      |
|-----------------|----------------------|
| (a) Trabectedin | (b) Eribulin         |
| (c) Cytarabine  | (d) All of the above |
29. Identify the compound which is derived from typtophan
- |                 |               |               |               |
|-----------------|---------------|---------------|---------------|
| (a) Pilocarpine | (b) Ephedrine | (c) Muscarine | (d) Quinoline |
|-----------------|---------------|---------------|---------------|
30. Opium, cocoa, poppy straw are given in
- |                                                         |
|---------------------------------------------------------|
| (a) Schedule H                                          |
| (b) Schedule X                                          |
| (c) Narcotic drugs and Psychotropic substances act 1998 |
| (d) Schedule C                                          |
31. Which of the following will be inert in NMR spectrometry
- |                     |                     |                  |                  |
|---------------------|---------------------|------------------|------------------|
| (a) $^{13}\text{C}$ | (b) $^{31}\text{P}$ | (c) $^2\text{H}$ | (d) $^1\text{H}$ |
|---------------------|---------------------|------------------|------------------|
32. What is the relationship between keto and enol tautomers
- |                            |                                                  |
|----------------------------|--------------------------------------------------|
| (a) Resonance forms        | (b) Stereoisomers                                |
| (c) Constitutional isomers | (d) Different conformations of the same compound |
33. Which of the following is following is true for natural killer cells
- |                                                        |
|--------------------------------------------------------|
| (a) They may phagocytose tumor cells                   |
| (b) Killing of cells is enhanced by interleukin-2      |
| (c) They recognize and kill some virus-infected cells  |
| (d) Killing of cells is stimulated by prostaglandin E2 |
34. Evaluation of colour of tablets is done by
- |                                   |                             |
|-----------------------------------|-----------------------------|
| (a) Reflectance spectrophotometer | (b) Tristimulus colorimeter |
| (c) Microreflectance photometer   | (d) All of the above        |
35. The disintegration time of the effervescent tablets is
- |               |                 |                 |               |
|---------------|-----------------|-----------------|---------------|
| (a) 2 minutes | (b) 2.4 minutes | (c) 3.5 minutes | (d) 5 minutes |
|---------------|-----------------|-----------------|---------------|

36. Identify the false statements about magmas:
- (P) The addition of suspending agents to magmas is always necessary  
 (Q) Magmas differ from gels in that their suspended particles are larger  
 (R) Magmas are two- phase systems  
 (S) Magmas basically are gets
- (a) P and Q                      (b) Q and R                      (c) Only P                      (d) Only S
37. All of the following ACE inhibitors are prodrugs EXCEPT
- (a) Ramipril                      (b) Lisinopril                      (c) Enalapril                      (d) Perindopril
38. All of the following is resistant to both true and pseudo cholinesterase enzymes
- (a) Carbachol                      (b) Acetylcholine  
 (c) Methacholine                      (d) Pilocarpine
39. Globule size of parenteral emulsion should be
- (a) 0.1 to 0.5  $\mu\text{m}$                       (b) 0.5-5  $\mu\text{m}$                       (c) 5-10  $\mu\text{m}$                       (d) Any of the above
40. The objective of audit is to
- (a) Improve the product quality                      (b) Find out the fault  
 (c) Improve the product value                      (d) Find and process fault and to improve
41. .... is an alkaloid derived form aliphatic amino acid
- (a) Reserpine                      (b) Nicotinic acid                      (c) Anabasine                      (d) Vinblastine
42. The drug sulphan blue is obtained from .....source
- (a) Plant                      (b) Animal                      (c) Synthetic                      (d) Mineral
43. In mammals, The major fat in adipose tissue is: <http://www.xamstudy.com>
- (a) Triglyceride                      (b) Cholesterol  
 (c) Sphingophospholipids                      (d) Phospholipids
44. Dovers powder used as a diaphoretic contains:
- (a) Ipecac & Opium                      (b) Ipecac, Senna & Cinchona  
 (c) Opium, Ipecac & Cinchona                      (d) All
45. Biological active form of Vit D in man is:
- (a) Cholecalciferol                      (b) Calcifediol  
 (c) Cakiferol                      (d) Calcitriol
46. Actions and clinical uses of muscarinic cholinceptor agonists include which on of the following
- (a) Bronchodilation (asthama)  
 (b) Improved aqueous humor drainage (glaucoma)  
 (c) Decreased gastrointestinal motility (diarrhea)  
 (d) Decreased neuromuscular transmission and relaxation of skeletal muscle (During surgical anesthesia)






47. Regarding the role of surfactants in pharmaceutical suspensions for oral administration which of the following statements is false
- Surfactants decrease the water contact angle of dispersed drug particle
  - Surfactants promote flocculation
  - Surfactants with high HLB stabilize oral suspensions
  - Surfactants increase the viscosity of the continuous phase of pharmaceutical suspensions
48. Which of the following drug is NOT used in treatment of H. Pylori infection
- Ampicillin
  - Clarithromycin
  - Mosapride
  - Bismuth subgallate
49. The most suitable disinfectant for decontamination of HIV contaminated endoscope is
- 1% Sodium hypochlorite
  - 2% Glutaraldehyde
  - 5% phenol
  - 70% ethanol
50. Which rule does provide the most accurate method to calculate the dose for child based on adult dose
- Age in months
  - Age in years
  - Weight in pounds
  - Body surface area
51. Chemokine co-receptor 5 (CCR 5 ) inhibitor is
- Enfuvirtide
  - Maraviroc
  - Raltegravir
  - Atazanavir
52. The Franz diffusion cell which is used for the evaluation of transdermal drug delivery systems consists of:
- 1 chamber
  - 2 chamber
  - 3 chamber
  - None
53. Which of the following plastic is transparent and flexible
- Silicon rubber
  - PVP
  - HDPE
  - PE
54. In which method an order of a fixed number of items is placed every time an inventory level falls to a predetermined point
- A-B-C method
  - Maximum and minimum method
  - Open-to-buy method
  - Economic order quantity
55. Choose the option with two reducing sugars
- Lactose and maltose
  - Trehalose and sucrose
  - Maltose and trehalose
  - Economic order quantity
56. The Local anesthetic with highest cardiotoxicity is
- Lidocaine
  - Bupivacaine
  - Levo- bupivacaine
  - Procaine
57. Homatropine is
- Tropine ester of amino acetic acid
  - Tropine ester of mandelic acid
  - Tropine methyl bromide ester of mandelic acid
  - Tropine ester of amino formic acid
58. Tranexamic acid is
- Antithrombotic
  - Antifibrinolytic
  - Fibrinolytic
  - Styptic

59. Which of the antihistaminic compound has antiadrogenic effect
- (a) Famotidine (b) Ranitidine  
(c) Nizatidine (d) Cimetidine
60. Which of the following drug is used preferentially as preanesthetic mediation
- (a) Midazolam (b) Oxazepam  
(c) Alprazolam (d) Nitrozapam
61. Proton pump inhibitors are most effective when given
- (a) Half hour before meals (b) With meal  
(c) After prolonged fasting (d) Along with H<sub>2</sub> blockers
62. Match compounds in Group I with inhibitory activities in Group II
- | Group I                | Group II                |
|------------------------|-------------------------|
| (P) Vancomycin         | (1) Folate metabolism   |
| (Q) Rifampin           | (2) DNA synthesis       |
| (R) Puromycin          | (3) Protein synthesis   |
| (S) Ciprofloxacin      | (4) RNA synthesis       |
|                        | (5) Cell wall synthesis |
| (a) P-5, Q-4, R-3, S-2 | (b) P-4, Q-3, R-1, S-2  |
| (c) P-4, Q-1, R-3, S-2 | (d) P-5, Q-3, R-2, S-4  |
63. Formation of Okazaki occurs in
- (a) Transcription (b) Replication  
(c) Translation (d) Reverse Transcription
64. Drug used in ventricular arrhythmia is
- (a) Flecainide (b) Verapamil  
(c) Esmolol (d) Diltazem
65. The lipoprotein with the fastest electrophoretic mobility and the lowest TG content is
- (a) VLDL (b) HDL  
(c) LDL (d) Chylomicrons
66. As per schedule 'Y' of the drugs and cosmetics act, the animal toxicity study requirements for marketing of a drug depends upon tentative route and duration of administration in humans. In This context , which one of the following statements is incorrect
- (a) Single dose human use-animal toxicity for 2 weeks in 2 species  
(b) Oral use for 2 weeks in humans- animal toxicity for 4 week in 2 species  
(c) Aerosol use by repeated use in humans- animal toxicity for 24 weeks in 2 species  
(d) Multiple daily ocular application for short duration-irrigation test in 1 species for 3 weeks
67. For determining the efficacy of sterilization in an autoclave, the spores of the following organism are used as test organisms
- (a) Bacillus cereus (b) Clostridium pefringens  
(c) Bacillus stearothermophilus (d) Clostridium histolyticum

68. Which of the following pairs is mismatched
- |                                              |                                |
|----------------------------------------------|--------------------------------|
| (a) Aerobic, helical bacteria- gram negative | (b) Entrics- gram negative     |
| (c) Mycobacteria – acid fast                 | (d) Pseudomonas –gram positive |
69. List of drugs whose import, manufacture and sale, labeling and packaging are governed by special provisions are included in schedule:
- |       |       |       |       |
|-------|-------|-------|-------|
| (a) X | (b) K | (c) H | (d) G |
|-------|-------|-------|-------|
70. Sigma minus method is used in assessment of
- |                     |                         |
|---------------------|-------------------------|
| (a) Bioavailability | (b) Absorption          |
| (c) Metabolism      | (d) Tissue distribution |
71. Which of the plant family contains volatile oil in their trichome
- |                     |                  |
|---------------------|------------------|
| (a) Rutaceae        | (b) Papaveraceae |
| (c) Umbelliferaceae | (d) Lamiaceae    |
72. Ferritin is:
- |                        |                             |
|------------------------|-----------------------------|
| (a) Coenzyme           | (b) The stored form of Iron |
| (c) Non-protein moiety | (d) Isoenzyme               |
73. Which oil is soluble in alcohol
- |                 |                |
|-----------------|----------------|
| (a) Arachis oil | (b) Sesame oil |
| (c) Castor oil  | (d) Corn oil   |
74. One of the first step of the citric acid cycle is isomerization of citric acid to isocitric acid this step is necessary because
- |                                                                                  |
|----------------------------------------------------------------------------------|
| (a) Oxidation of secondary alcohols is very difficult                            |
| (b) Reduction of secondary alcohol is very impossible                            |
| (c) Reduction of tertiary alcohols would require a very powerful oxidizing agent |
| (d) Oxidation of tertiary alcohols would require oxidizing agents                |
75. Which of the following alkyl halides would undergo SN2 reaction most rapidly
- |                                        |                                        |
|----------------------------------------|----------------------------------------|
| (a) $\text{CH}_3\text{CH}_2\text{-Br}$ | (b) $\text{CH}_3\text{CH}_2\text{-Cl}$ |
| (c) $\text{CH}_3\text{CH}_2\text{-I}$  | (d) $\text{CH}_3\text{CH}_2\text{-F}$  |
76. Mechanism of action of Ketoconazole is:
- |                                         |                                    |
|-----------------------------------------|------------------------------------|
| (a) Inhibits Ergosterol synthesis       | (b) Inhibits DNA gyrase            |
| (c) Inhibits dihydropteroate synthetase | (d) Induces translation misreading |
77. All are adrenal gland over activity disorders EXCEPT
- |                        |                       |
|------------------------|-----------------------|
| (a) Addison's disease  | (b) Conn's syndrome   |
| (c) Cushing's syndrome | (d) Cushing's disease |
78. The oil used in a parenteral product cannot contain.....
- |         |                  |                |               |
|---------|------------------|----------------|---------------|
| (a) WFI | (b) Paraffin oil | (c) Peanut oil | (d) Glycerine |
|---------|------------------|----------------|---------------|
79. Identify the non-absorbable suture
- |                   |                           |
|-------------------|---------------------------|
| (a) Catgut suture | (b) Chromic catgut suture |
| (c) Silk suture   | (d) Polydioxanone suture  |

80. The relative lowering of vapour pressure is given by  
 (a) Raoult's law (b) Henry's law (c) Boyle's law (d) Charles law
81. Identity the functional group present in meprobamate  
 (a) Amide (b) Ester (c) Carbamic (d) Lactam
82. Match the following
- |                        |                                |
|------------------------|--------------------------------|
| (P) Gypsum salt        | (1) $KAl(SO_4)_2 \cdot 12H_2O$ |
| (Q) Epson salt         | (2) $FeSO_4 \cdot 7H_2O$       |
| (R) Alum               | (3) $CaSO_4 \cdot 2H_2O$       |
| (S) Green vitriol      | (4) $MgSO_4 \cdot 7H_2O$       |
| (a) P-1, Q-2, R-4, S-3 | (b) P-3, Q-4, R-1, S-2         |
| (c) P-4, Q-3, R-1, S-2 | (d) P-2, Q-4, R-1, S-3         |
83. Tinea capitis is ringworm infection of  
 (a) Feet (b) Groin (c) Head (d) Nails
84. Rank the following compounds in order of increasing reactivity in electrophilic aromatic Substitution reactions  
 (P)  $C_6H_6$  (Q)  $C_6H_5CH_3$  (R)  $C_6H_5NO_2$   
 (a)  $Q < P < R$  (b)  $R < P < Q$  (c)  $Q < R < P$  (d)  $P < Q < R$
85. Dose dumping may be a general problem in the formulation of:  
 (a) Soft gelatin capsules (b) Suppositories  
 (c) Modified release drug products (d) None
86. Codeine differs in structure from morphine by:  
 (a) N-methyl group (b) Acetyl group at C1 and C6  
 (c)  $-OC_2H_5$  group (d)  $-OCH_3$  group
87. Isotopes differ in:  
 (a) The number of protons (b) The valency number  
 (c) The chemical activity (d) The number of neutrons
88. Arrange the given acids in increasing order as per the number of carbons present in them  
 (P) Capric (Q) Caprylic (R) Caproic (D) Lauric  
 (a)  $P < Q < R < S$  (b)  $R < Q < P < S$   
 (c)  $R < Q < P < S$  (d)  $Q < P < R < S$
89. E1cb (Elimination reaction via conjugate base) which reaction intermediate will form?  
 (a) Carbocation (b) Carbanion  
 (c) Free radical (d) All
90. What are the three basic steps of conventional PCR  
 (a) Denature, anneal, & Strand displacement (b) Denature, anneal & extension  
 (c) Strand displacement, synthesis & release (d) Reverse-Transcription, anneal & extend

91. Rabies bodies are  
 (a) Negri bodies (b) Cowdry type B inclusion bodies  
 (c) Cowdry type A inclusion bodies (d) Bollinger bodies
92. When glucose reacts with bromine water, the main product is  
 (a) Glucaric acid (b) Glucuronic acid (c) Sorbitol (d) Gluconic acid
93. Increase in melting temperature of DNA is due to high content of  
 (a) A+T (b) G+C (c) A+G (d) T+G
94. What will be the primary product of the following reaction



95. The mass spectrum of a compound with an approximate MW 137 shows two equally intense peaks at  $m/z$  136 and 138. What does this suggest  
 (a) The compound is alkyl iodide (b) The compound is alkyl bromide  
 (c) The compound is alkyl chloride (d) The compound is alkyl fluoride
96. Capping in tablets mainly due to:  
 (a) Less upper punch pressure (b) Poor flowability of granules  
 (c) Proper formulation design (d) Entrapment of air in tablet during compression
97. How can we detect the rhizome from the root of the Rauwolfia?  
 (a) By the presence of small central pith (b) By the absence of small central pith  
 (c) By the presence of vascular bundle (d) None
98. Drug of choice to treat H1N1 influenza is  
 (a) Adefovir (b) Cidofovir  
 (c) Oseltamivir (d) Tenofovir
99. Identify the correct statement  
 (P) Condensed tannins are polymers of flavans  
 (Q) Condensed tannins do not contain sugar residues  
 (R) Hydrolyzable tannins are polymers of gallic acid or ellagic acids  
 (S) Gallic acid and catechin are polyphenols  
 (a) Only Q (b) P and Q  
 (c) P, Q and R (d) P, Q, R and S
100. Quick breaking aerosols are applicable:  
 (a) Orally (b) Parenterally (c) Topically (d) Ophthalmically

101. In the Reimer-Tiemann reaction..... Reacts with phenol to give the ortho-formylated product

- (a) Carbene (b) Carbocation  
(c) Carbanion (d) Free radical

102. Which of the following is not added to chewing tablet

- (a) Gildant (b) Disintegrant  
(c) Lubricant (d) Anitadhesive

103. Range of C=O stretching in enol is

- (a)  $1800\text{ cm}^{-1}$  (b)  $1710\text{ cm}^{-1}$   
(c)  $1685\text{ cm}^{-1}$  (d)  $1655\text{ cm}^{-1}$

104. Match the following phytochemicals with their source and use

- |                        |                                                              |
|------------------------|--------------------------------------------------------------|
| (P) Shatavrin          | (1) Buckwheat and citrus fruits, strengthens capillary walls |
| (Q) Resveratrol        | (2) Broccoli and cabbage, protects against bladder cancer    |
| (R) Glucosinolates     | (3) Purple grape, anti inflammatory, anticancer              |
| (S) Rutin              | (4) Asparagus, galactagogue                                  |
| (a) P-4, Q-3, R-2, S-1 | (b) P-4, Q-2, R-3, S-1                                       |
| (c) P-3, Q-1, R-4, S-2 | (d) P-2, Q-3, R-4, S-1                                       |

105. Which RNA polymerase is the only whose product are capped

- (a) RNA polymerase I (b) RNA polymerase II  
(c) RNA polymerase III (d) RNA primase

106. Match the scientist awarded with Nobel prize with their contributions

- |                        |                        |
|------------------------|------------------------|
| (P) Alexander Fleming  | (1) GPCR               |
| (Q) Kobilka            | (2) $\beta$ -blocker   |
| (R) Banting            | (3) Penicillin         |
| (S) Black              | (4) Insulin            |
| (a) P-4, Q-3, R-2, S-1 | (b) P-4, Q-2, R-3, S-1 |
| (c) P-3, Q-1, R-4, S-2 | (d) P-2, Q-3, R-4, S-1 |

107. Mean arterial pressure is <http://www.xamstudy.com>

- (a) Systolic pressure – Diastolic Pressure (b)  $(\text{Diastolic pressure} + \text{Diastolic Pressure})/2$   
(c) Diastolic pressure +  $(1/3) \times$  pulse pressure (d) Stroke volume  $\times$  heart rate


108. Eugenol is

- (a) Monoterpene alcohol (b) Sesquiterpene alcohol  
(c) Aliphatic alcohol (d) Phenylpropene

109. The Vitamin required for carboxylation of pyruvate to form oxaloacetate is

- (a) Thiamine (b) Biotin (c) Pyridoxine (d) Niacin

110. Which of the following circled hydrogen is most acidic



111. The drug formulated as suspension follows ..... order reaction  
 (a) Zero (b) Pseudo Zero  
 (c) First (d) Pseudo first
112. Which diuretic causes decrease in release of insulin  
 (a) Chlorothiazide (b) Ethacynic zero  
 (c) Triamterene (d) Acetazolamide
113. Match the following drugs with their mode of action  
 (P) Methotrexate (1) Mitotic inhibitor  
 (Q) Cyclophosphamide (2) Antimetabolite  
 (R) Vincristine (3) Alkylating agent  
 (S) Dactinomycin (4) Intercalating agent  
 (a) P-4, Q-3, R-2, S-1 (b) P-2, Q-4, R-1, S-3  
 (c) P-3, Q-1, R-4, S-2 (d) P-2, Q-3, R-1, S-4
114. Which compound would be expected to show intense IR absorption at  $3300\text{ cm}^{-1}$   
 (a)  $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_3$  (b)  $\text{CH}_3\text{CH}_2\text{C}=\text{CH}$   
 (c)  $\text{CH}_3\text{C}=\text{CCH}_3$  (d)  $\text{CH}_2\text{CHCH}_2\text{CH}_3$
115. In the carbon NMR, in what region of the spectrum does one typically observe carbons which are part of the aromatic ring  
 (a) -10-0 ppm (b) 40-60 ppm  
 (c) 80-100 ppm (d) 120-150 ppm
116. Meclofenamate belongs to which class of drug  
 (a) Slicylates (b) Oxicams  
 (c) Aryl antaranillic acid (d) p-Amino phenols
117. Match the following crude with their chemical constituents  
 (P) Aloe (1) Hesperidine  
 (Q) Ginger (2) Palmitin  
 (R) Lemon peel (3) Barbaloin  
 (S) Olive oil (4) Allin  
 (a) P-4, Q-3, R-2, S-1 (b) P-3, Q-4, R-2, S-1  
 (c) P-3, Q-4, R-1, S-2 (d) P-3, Q-1, R-1, S-4
118. Dopamine agonists with tetralene function  
 (a) Ropinorole (b) Pirebidil  
 (c) Pramipixole (d) Rotigotine
119. The IUPAC name of the compound  $(\text{CH}_3)_2\text{CHCH}_2\text{Cl}$ :  
 (a) 2-methyl-3-chloropropane (b) 1-chloro-3-mehtyl butane  
 (c) 1-chloropentane (d) 2-mehtyl-4-chlorobutane

120. A powerful inhibitor of stomatal opening is  
 (a) Auxin (b) Bytokinin  
 (c) Gibberellin (d) Absciscic acid
121. What is the renal clearance of a substance, if its concentration in plasma is 10mg, concentration in urine is 100 mg and urine flow is 2 ml/min  
 (a) 0.02 ml/min (b) 0.2 ml/min  
 (c) 2ml/min (d) 20 ml/min
122. Aim of pharmacovigilance is  
 (a) To monitor drug toxicity (b) To monitor unauthorized drug manufacture  
 (c) To monitor rational use of drugs (d) To check and control drug costs
123. Phase zero studies is a/an  
 (P) Exploratory investigational new drug study  
 (Q) Human microdosing studies  
 (R) Step to speed up drug discovery/ development process  
 (S) Mandatory by FDA  
 (a) P and Q (b) Q and R (c) P, Q and R (d) P, Q, R and S
124. Parenteral product must be:  
 (a) Packed in bottle (b) Sterilized  
 (c) Free from viable/living organism (d) Pyrogenic
125. Quinine present in highest amount in:  
 (a) C. calisaya (b) C. officinalis (c) C. ledgeriana (d) C. succirubra

**End of paper**

### ANSWER KEY GPAT 2014

|       |       |       |       |       |       |       |       |       |       |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1-d   | 2-c   | 3-b   | 4-d   | 5-b   | 6-b   | 7-d   | 8-c   | 9-b   | 10-c  |
| 11-d  | 12-d  | 13-c  | 14-c  | 15-b  | 16-d  | 17-b  | 18-b  | 19-a  | 20-d  |
| 21-a  | 22-b  | 23-a  | 24-a  | 25-d  | 26-a  | 27-a  | 28-d  | 29-b  | 30-b  |
| 31-c  | 32-c  | 33-c  | 34-d  | 35-d  | 36-c  | 37-b  | 38-a  | 39-a  | 40-d  |
| 41-c  | 42-c  | 43-a  | 44-a  | 45-d  | 46-b  | 47-d  | 48-c  | 49-b  | 50-d  |
| 51-b  | 52-b  | 53-d  | 54-d  | 55-a  | 56-b  | 57-b  | 58-b  | 59-d  | 60-a  |
| 61-a  | 62-a  | 63-b  | 64-a  | 65-b  | 66-d  | 67-c  | 68-d  | 69-a  | 70-a  |
| 71-d  | 72-b  | 73-c  | 74-d  | 75-c  | 76-a  | 77-b  | 78-b  | 79-c  | 80-a  |
| 81-c  | 82-b  | 83-c  | 84-a  | 85-c  | 86-d  | 87-d  | 88-b  | 89-b  | 90-b  |
| 91-a  | 92-d  | 93-d  | 94-c  | 95-b  | 96-d  | 97-a  | 98-c  | 99-d  | 100-c |
| 101-a | 102-b | 103-d | 104-a | 105-b | 106-c | 107-c | 108-d | 109-b | 110-c |
| 111-a | 112-b | 113-d | 114-b | 115-d | 116-c | 117-c | 118-d | 119-a | 120-d |
| 121-d | 122-a | 123-c | 124-b | 125-c |       |       |       |       |       |