

6686503



Test Booklet No.

ENGLISH

Test Booklet Code

S4

RIGUD

This Booklet contains **32** pages, including Rough Page.

Do not open this Test Booklet until you are asked to do so.

Important Instructions:

1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with **blue/black** ball point pen only.
 2. The test is of **3 hours 20 minutes** duration and the Test Booklet contains **200** multiple-choice questions (four options with a single correct answer) from **Physics, Chemistry and Biology (Botany and Zoology)**. **50** questions in each subject are divided into **two Sections (A and B)** as per details given below:
 - (a) **Section A** shall consist of **35 (Thirty-five)** Questions in each subject (Question Nos – 1 to 35, 51 to 85, 101 to 135 and 151 to 185). All questions are compulsory.
 - (b) **Section B** shall consist of **15 (Fifteen)** questions in each subject (Question Nos – 36 to 50, 86 to 100, 136 to 150 and 186 to 200). In Section B, a candidate needs to **attempt any 10 (Ten)** questions out of **15 (Fifteen)** in each subject.
- Candidates are advised to read all 15 questions in each subject of Section B before they start attempting the question paper. In the event of a candidate attempting more than ten questions, the first ten questions answered by the candidate shall be evaluated.**
3. Each question carries **4** marks. For each correct response, the candidate will get **4** marks. For each incorrect response, **one** mark will be deducted from the total scores. **The maximum marks are 720.**
 4. Use **Blue/Black Ball Point Pen only** for writing particulars on this page/markings responses on Answer Sheet.
 5. Rough work is to be done in the space provided for this purpose in the Test Booklet only.
 6. On completion of the test, the candidate **must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator** before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
 7. The **CODE** for this Booklet is **S4**. Make sure that the **CODE** printed on the Original Copy of the Answer Sheet is the same as that on this Test Booklet. In case of discrepancy, the candidate should immediately report the matter to the Invigilator for replacement of both the Test Booklet and the Answer Sheet.
 8. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Roll No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
 9. Use of white fluid for correction is **NOT** permissible on the Answer Sheet.
 10. Each candidate must show on-demand his/her Admit Card to the Invigilator.
 11. No candidate, without special permission of the centre Superintendent or Invigilator, would leave his/her seat.
 12. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet twice. **Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.**
 13. Use of Electronic/Manual Calculator is prohibited.
 14. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination.
 15. **No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.**
 16. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.
 17. Compensatory time of one hour five minutes will be provided for the examination of three hours and 20 minutes duration, whether such candidate (having a physical limitation to write) uses the facility of Scribe or not.

Physics : Section-A (Q. No. 1 to 35)

- 1 If c is the velocity of light in free space, the correct statements about photon among the following are :

A. The energy of a photon is $E = hv$ ✓
 B. The velocity of a photon is c . ✓
 C. The momentum of a photon, $p = \frac{hv}{c}$. ✓
 D. In a photon-electron collision, both total energy and total momentum are conserved. ✓
 E. Photon possesses positive charge. ✗


Choose the correct answer from the options given below :

- (1) A, B, D and E only
 (2) A and B only
 (3) A, B, C and D only ✓
 (4) A, C and D only

$$\frac{1}{A+B} = \frac{1}{A+B}$$


- 2 A thin spherical shell is charged by some source. The potential difference between the two points C and P (in V) shown in the figure is:

(Take $\frac{1}{4\pi\epsilon_0} = 9 \times 10^9$ SI units)



- (1) zero
 (2) 3×10^5
 (3) 1×10^5 ✓
 (4) 0.5×10^5

- 3 A wheel of a bullock cart is rolling on a level road as shown in the figure below. If its linear speed is v in the direction shown, which one of the following options is correct (P and Q are any highest and lowest points on the wheel, respectively)?




- (1) Point P has zero speed. ✗
 (2) Point P moves slower than point Q. ✗
 (3) Point P moves faster than point Q. ✓
 (4) Both the points P and Q move with equal speed. ✗

- 4 If the monochromatic source in Young's double slit experiment is replaced by white light, then


- (1) all bright fringes will be of equal width.
 (2) interference pattern will disappear.
 (3) there will be a central dark fringe surrounded by a few coloured fringes.
 (4) there will be a central bright white fringe surrounded by a few coloured fringes. ✓

- 5 The output (Y) of the given logic gate is similar to the output of an/a :




- (1) AND gate
 (2) NAND gate ✓
 (3) NOR gate
 (4) OR gate

- 6 The terminal voltage of the battery, whose emf is 10V and internal resistance 1Ω , when connected through an external resistance of 4Ω as shown in the figure is :



- (1) 10 V
 (2) 4 V ✓
 (3) 6 V
 (4) 8 V

- 7 A horizontal force 10 N is applied to a block A as shown in figure. The mass of blocks A and B are 2 kg and 3 kg, respectively. The blocks slide over a frictionless surface. The force exerted by block A on block B is :



- (1) 10 N
 (2) zero ✓
 (3) 4 N
 (4) 6 N

$mv_1 + 2mv_2$
 $\frac{v_1}{v_2} = 2$

8 Two bodies A and B of same mass undergo completely inelastic one dimensional collision. The body A moves with velocity v_1 while body B is at rest before collision. The velocity of the system after collision is v_2 . The ratio $v_1 : v_2$ is :

- (1) 1:4 (2) 1:2
(3) 2:1 (4) 4:1

9 A bob is whirled in a horizontal plane by means of a string with an initial speed of ω rpm. The tension in the string is T . If speed becomes 2ω while keeping the same radius, the tension in the string becomes :

- (1) $\sqrt{2}T$ (2) T
(3) $4T$ (4) $\frac{T}{4}$

10 ${}_{82}^{290}\text{X} \xrightarrow{\alpha} {}_{80}^{286}\text{Y} \xrightarrow{\beta^-} {}_{81}^{286}\text{Z} \xrightarrow{\beta^-} {}_{82}^{286}\text{P} \xrightarrow{\beta^-} {}_{81}^{286}\text{Q}$

In the nuclear emission stated above, the mass number and atomic number of the product Q respectively, are :

- (1) 286, 81 (2) 280, 81
(3) 286, 80 (4) 288, 82

11 Match List-I with List-II.

List-I (Material)	List-II (Susceptibility (χ))
A. Diamagnetic	I. $\chi = 0$
B. Ferromagnetic	II. $0 > \chi \geq -1$
C. Paramagnetic	III. $\chi \gg 1$
D. Non-magnetic	IV. $0 < \chi < \epsilon$ (a small positive number)

Choose the correct answer from the options given below:


- (1) A-IV, B-III, C-II, D-I
(2) A-II, B-III, C-IV, D-I
(3) A-II, B-I, C-III, D-IV
(4) A-III, B-II, C-I, D-IV

12 A particle moving with uniform speed in a circular path maintains :

- (1) varying velocity and varying acceleration.
(2) constant velocity.
(3) constant acceleration.
(4) constant velocity but varying acceleration.

13 The moment of inertia of a thin rod about an axis passing through its mid point and perpendicular to the rod is 2400 g cm^2 . The length of the 400 g rod is nearly :



- (1) 72.0 cm (2) 8.3 cm
(3) 17.5 cm (4) 20.7 cm



In the above diagram, a strong bar magnet is moving towards solenoid-2 from solenoid-1. The direction of induced current in solenoid-1 and that in solenoid-2, respectively, are through the directions:

- (1) BA and DC (2) AB and DE
(3) BA and CD (4) AD and CD

15 Consider the following statements A and B and identify the correct answer :



- A. For a solar-cell, the I-V characteristics lies in the IV quadrant of the given graph.
B. In a reverse biased p-n junction diode, the current measured in (μA), is due to majority charge carriers.

- (1) Both A and B are incorrect.
(2) A is correct but B is incorrect.
(3) A is incorrect but B is correct.
(4) Both A and B are correct.

- 16 At any instant of time t , the displacement of any particle is given by $2t - 1$ (SI unit) under the influence of force of $5N$. The value of instantaneous power is (in SI unit):

(1) 6 (2) 10
(3) 5 (4) 7

- 17 Match List I with List II.

List I
(Spectral Lines of Hydrogen for transitions from)

List II
(Wavelengths (nm))

- A. $n_2 = 3$ to $n_1 = 2$ I. 410.2
B. $n_2 = 4$ to $n_1 = 2$ II. 434.1
C. $n_2 = 5$ to $n_1 = 2$ III. 656.3
D. $n_2 = 6$ to $n_1 = 2$ IV. 486.1

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-III, D-IV
(2) A-II, B-I, C-IV, D-III
(3) A-III, B-IV, C-II, D-I
(4) A-IV, B-III, C-I, D-II

- 18 Given below are two statements: one is labelled as **Assertion A** and the other is labelled as **Reason R**.

Assertion A: The potential (V) at any axial point, at 2 m distance (r) from the centre of the dipole

of dipole moment vector $\vec{P}$ of magnitude, $4 \times 10^{-6} \text{ C m}$, is $\pm 9 \times 10^3 \text{ V}$.

(Take $\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ SI units}$)

Reason R: $V = \pm \frac{2P}{4\pi\epsilon_0 r^2}$, where r is the distance of any axial point, situated at 2 m from the centre of the dipole.

In the light of the above statements, choose the correct answer from the options given below:

- (1) A is false but R is true.
(2) Both A and R are true and R is the correct explanation of A.
(3) Both A and R are true and R is NOT the correct explanation of A.
(4) A is true but R is false.

- 19 A logic circuit provides the output Y as per the following truth table:

A	B	Y
0	0	1
0	1	0
1	0	1
1	1	0

The expression for the output Y is:

- (1) B (2) $A.B + \bar{A}$
(3) $A.B + \bar{A}$ (4) $\bar{B}$

- 20 A light ray enters through a right angled prism at point P with the angle of incidence 30° as shown in figure. It travels through the prism parallel to its base BC and emerges along the face AC . The refractive index of the prism is:

- (1) $\frac{\sqrt{3}}{2}$ (2) $\frac{\sqrt{5}}{4}$
(3) $\frac{\sqrt{5}}{2}$ (4) $\frac{\sqrt{3}}{4}$

- 21 In a vernier calipers, $(N+1)$ divisions of vernier scale coincide with N divisions of main scale. If 1 MSD represents 0.1 mm, the vernier constant (in cm) is:

- (1) $10(N+1)$ (2) $\frac{1}{10N}$
(3) $\frac{1}{100(N+1)}$ (4) $100N$

- 22 A tightly wound 100 turns coil of radius 10 cm carries a current of 7 A. The magnitude of the magnetic field at the centre of the coil is (Take permeability of free space as $4\pi \times 10^{-7} \text{ SI units}$):

- (1) 44 T (2) 44 mT
(3) 4.4 T (4) 4.4 mT


- 23 A wire of length 'l' and resistance $100\ \Omega$ is divided into 10 equal parts. The first 5 parts are connected in series while the next 5 parts are connected in parallel. The two combinations are again connected in series. The resistance of this final combination is:

(1) $60\ \Omega$ (2) $26\ \Omega$
~~(3) $52\ \Omega$~~ (4) $55\ \Omega$

- 24 The quantities which have the same dimensions as those of solid angle are:

(1) angular speed and stress
~~(2) strain and angle~~
 (3) stress and angle
 (4) strain and arc

- 25 In the following circuit, the equivalent capacitance between terminal A and terminal B is:



(1) $4\ \mu F$ ~~(2) $2\ \mu F$~~
 (3) $1\ \mu F$ (4) $0.5\ \mu F$

- 26 The maximum elongation of a steel wire of 1 m length if the elastic limit of steel and its Young's modulus, respectively, are $8 \times 10^8\ \text{N m}^{-2}$ and $2 \times 10^{11}\ \text{N m}^{-2}$, is:

(1) 8 mm ~~(2) 4 mm~~
 (3) 0.4 mm (4) 40 mm

- 27 An unpolarised light beam strikes a glass surface at Brewster's angle. Then

~~(1) the reflected light will be completely polarised but the refracted light will be partially polarised.~~
 (2) the reflected light will be partially polarised.
 (3) the refracted light will be completely polarised.
 (4) both the reflected and refracted light will be completely polarised.

- 28 In an ideal transformer, the turns ratio is $\frac{N_p}{N_s} = \frac{1}{2}$.


The ratio $V_s : V_p$ is equal to (the symbols carry their usual meaning):

(1) 1 : 4 (2) 1 : 2
~~(3) 2 : 1~~ (4) 1 : 1


- 29 The mass of a planet is $\frac{1}{10}$ th that of the earth and its diameter is half that of the earth. The acceleration due to gravity on that planet is:

(1) $3.92\ \text{m s}^{-2}$ (2) $19.6\ \text{m s}^{-2}$
 (3) $9.8\ \text{m s}^{-2}$ (4) $4.9\ \text{m s}^{-2}$

- 30 The graph which shows the variation of $\left(\frac{1}{\lambda^2}\right)$ and its kinetic energy, E is (where λ is de Broglie wavelength of a free particle):



- 31 A thermodynamic system is taken through the cycle $abcda$. The work done by the gas along the path bc is:



(1) $-60\ \text{J}$ ~~(2) zero~~
 (3) $30\ \text{J}$ (4) $-90\ \text{J}$

Physics : Section-B (Q. No. 36 to 50)

32

Given below are two statements :

Statement I : Atoms are electrically neutral as they contain equal number of positive and negative charges.


Statement II : Atoms of each element are stable and emit their characteristic spectrum.

In the light of the above statements, choose the most appropriate answer from the options given below :

- (1) Statement I is incorrect but Statement II is correct.
- (2) Both Statement I and Statement II are correct.
- (3) Both Statement I and Statement II are incorrect.
- (4) Statement I is correct but Statement II is incorrect.

33

In a uniform magnetic field of 0.049 T, a magnetic needle performs 20 complete oscillations in 5 seconds as shown. The moment of inertia of the needle is $9.8 \times 10^{-6} \text{ kg m}^2$. If the magnitude of magnetic moment of the needle is $x \times 10^{-5} \text{ Am}^2$, then the value of x is :



- (1) $1280 \pi^2$
- (2) $5 \pi^2$
- (3) $128 \pi^2$
- (4) $50 \pi^2$

34

If $x = 5 \sin \left(\pi t + \frac{\pi}{3} \right) \text{ m}$ represents the motion of a particle executing simple harmonic motion, the amplitude and time period of motion, respectively, are :

- (1) 5 m, 1 s
- (2) 5 cm, 2 s
- (3) 5 m, 2 s
- (4) 5 cm, 1 s

35

A thin flat circular disc of radius 4.5 cm is placed gently over the surface of water. If surface tension of water is 0.07 Nm^{-1} , then the excess force required to take it away from the surface is :

- (1) 99 N
- (2) 19.8 mN
- (3) 198 N
- (4) 1.98 mN


36

An iron bar of length L has magnetic moment M . It is bent at the middle of its length such that the two arms make an angle 60° with each other. The magnetic moment of this new magnet is :

- (1) $\frac{M}{\sqrt{3}}$
- (2) M
- (3) $\frac{M}{2}$
- (4) $2M$

37

Choose the correct circuit which can achieve the bridge balance.




The minimum energy required to launch a satellite of mass m from the surface of earth of mass M and radius R in a circular orbit at an altitude of $2R$ from the surface of the earth is :

- (1) $\frac{GmM}{3R}$
- (2) $\frac{5GmM}{6R}$
- (3) $\frac{2GmM}{3R}$
- (4) $\frac{GmM}{2R}$

39

The following graph represents the T - V curves of an ideal gas (where T is the temperature and V the volume) at three pressures P_1 , P_2 and P_3 compared with those of Charles's law represented as dotted lines.



Then the correct relation is :

- (1) $P_1 > P_2 > P_3$
- (2) $P_3 > P_2 > P_1$
- (3) $P_1 > P_3 > P_2$
- (4) $P_2 > P_1 > P_3$

40 The property which is not of an electromagnetic wave travelling in free space is that :

- (1) they originate from charges moving with uniform speed.
- (2) they are transverse in nature.
- (3) the energy density in electric field is equal to energy density in magnetic field.

(4) they travel with a speed equal to $\frac{1}{\sqrt{\mu_0 \epsilon_0}}$

41 A metallic bar of Young's modulus, $0.5 \times 10^{11} \text{ N m}^{-2}$ and coefficient of linear thermal expansion $10^{-5} \text{ }^\circ\text{C}^{-1}$, length 1 m and area of cross-section 10^{-3} m^2 is heated from 0°C to 100°C without expansion or bending. The compressive force developed in it is:

- (1) $2 \times 10^3 \text{ N}$
- (2) $5 \times 10^3 \text{ N}$
- (3) $50 \times 10^3 \text{ N}$
- (4) $100 \times 10^3 \text{ N}$

42 Two heaters A and B have power rating of 1 kW and 2 kW, respectively. Those two are first connected in series and then in parallel to a fixed power source. The ratio of power outputs for these two cases is:

- (1) 2 : 3
- (2) 1 : 1
- (3) 2 : 9
- (4) 1 : 2

$\alpha + 2\beta$

43 A force defined by $F = \alpha t^2 + \beta t$ acts on a particle at a given time t . The factor which is dimensionless, if α and β are constants, is:

- (1) $\frac{\alpha\beta}{t}$
- (2) $\frac{\beta t}{\alpha}$

(3) $\frac{\alpha t}{\beta}$

(4) $\alpha\beta t$

0.66×1.4
 $\frac{66}{14}$
 $\frac{28}{14}$
 $\frac{66}{14}$
 $\frac{92}{14}$

44 A parallel plate capacitor is charged by connecting it to a battery through a resistor. If I is the current in the circuit, then in the gap between the plates :

- (1) displacement current of magnitude greater than I flows but can be in any direction.
- (2) there is no current.
- (3) displacement current of magnitude equal to I flows in the same direction as I .
- (4) displacement current of magnitude equal to I flows in a direction opposite to that of I .

45 A small telescope has an objective of focal length 140 cm and an eye piece of focal length 5.0 cm. The magnifying power of telescope for viewing a distant object is:

- (1) 32
- (2) 34
- (3) 28
- (4) 17

$D = \frac{1}{0.25}$


46 If the plates of a parallel plate capacitor connected to a battery are moved close to each other, then

- A. the charge stored in it, increases.
- B. the energy stored in it, decreases.
- C. its capacitance increases.
- D. the ratio of charge to its potential remains the same.
- E. the product of charge and voltage increases.

Choose the most appropriate answer from the options given below:

- (1) A, B and C only
- (2) A, B and E only
- (3) A, C and E only
- (4) B, D and E only


47 A $10 \mu\text{F}$ capacitor is connected to a 210 V, 50 Hz source as shown in figure. The peak current in the circuit is nearly ($\pi = 3.14$):




- (1) 0.35 A
- (2) 0.58 A
- (3) 0.93 A
- (4) 1.20 A

$10^{-2} \times 210 \times \sqrt{2}$
 $100 \times 3.14 \times 10^{-2} \times 10 \times 210$
 $\frac{314}{21}$
 $\frac{314}{21}$
 $\frac{628}{21}$
 $\frac{628}{21}$

- 48 The velocity (v) – time (t) plot of the motion of a body is shown below :



The acceleration (a) – time (t) graph that best suits this motion is :



- 49 A sheet is placed on a horizontal surface in front of a strong magnetic pole. A force is needed to :
- hold the sheet there if it is magnetic.
 - hold the sheet there if it is non-magnetic.
 - move the sheet away from the pole with uniform velocity if it is conducting.
 - move the sheet away from the pole with uniform velocity if it is both, non-conducting and non-polar.

Choose the correct statement(s) from the options given below:

- C only
- B and D only
- A and C only
- A, C and D only

- 50 If the mass of the bob in a simple pendulum is increased to thrice its original mass and its length is made half its original length, then the new time period of oscillation is $\frac{x}{2}$ times its original time period. Then the value of x is:

- 4
- $\sqrt{3}$
- $\sqrt{2}$
- $2\sqrt{3}$

- 51 Match List I with List II.

List I	List II
Quantum Number	Information provided
A. m_l	I. shape of orbital
B. m_s	II. size of orbital
C. l	III. orientation of orbital
D. n	IV. orientation of spin of electron

Choose the correct answer from the options given below:

- A-II, B-I, C-IV, D-III
- A-I, B-III, C-II, D-IV
- A-III, B-IV, C-I, D-II
- A-III, B-IV, C-II, D-I

- 52 Given below are two statements :

Statement I : Both $[\text{Co}(\text{NH}_3)_6]^{3+}$ and $[\text{CoF}_6]^{3-}$ complexes are octahedral but differ in their magnetic behaviour. ✓

Statement II : $[\text{Co}(\text{NH}_3)_6]^{3+}$ is diamagnetic whereas $[\text{CoF}_6]^{3-}$ is paramagnetic. ✓


In the light of the above statements, choose the correct answer from the options given below:

- Statement I is false but Statement II is true.
- Both Statement I and Statement II are true.
- Both Statement I and Statement II are false.
- Statement I is true but Statement II is false.

- 53 The E° value for the $\text{Mn}^{3+}/\text{Mn}^{2+}$ couple is more positive than that of $\text{Cr}^{3+}/\text{Cr}^{2+}$ or $\text{Fe}^{3+}/\text{Fe}^{2+}$ due to change of

- d^3 to d^5 configuration
- d^5 to d^4 configuration
- d^5 to d^2 configuration
- d^4 to d^5 configuration

- 54 The compound that will undergo S_N1 reaction with the fastest rate is



- 55 Given below are two statements:

Statement I : The boiling point of three isomeric pentanes follows the order
 n-pentane > isopentane > neopentane

Statement II : When branching increases, the molecule attains a shape of sphere. This results in smaller surface area for contact, due to which the intermolecular forces between the spherical molecules are weak, thereby lowering the boiling point.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Statement I is incorrect but Statement II is correct.
 (2) Both Statement I and Statement II are correct.
 (3) Both Statement I and Statement II are incorrect.
 (4) Statement I is correct but Statement II is incorrect.

- 56 Match List I with List II.

List I (Process)	List II (Conditions)
A. Isothermal process	I. No heat exchange
B. Isochoric process	II. Carried out at constant temperature
C. Isobaric process	III. Carried out at constant volume
D. Adiabatic process	IV. Carried out at constant pressure

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
 (2) A-IV, B-III, C-II, D-I
 (3) A-IV, B-II, C-III, D-I
 (4) A-I, B-II, C-III, D-IV

- 57 Activation energy of any chemical reaction can be calculated if one knows the value of

- (1) rate constant at two different temperatures.
 (2) rate constant at standard temperature.
 (3) probability of collision.
 (4) orientation of reactant molecules during collision.

- 58 Arrange the following elements in increasing order of first ionization enthalpy:

Li, Be, B, C, N

Choose the correct answer from the options given below:

- (1) Li < Be < N < B < C
 (2) Li < Be < B < C < N
 (3) Li < B < Be < C < N
 (4) Li < Be < C < B < N

- 59 On heating, some solid substances change from solid to vapour state without passing through liquid state. The technique used for the purification of such solid substances based on the above principle is known as

- (1) Chromatography
 (2) Crystallization
 (3) Sublimation
 (4) Distillation

- 60 The reagents with which glucose does not react to give the corresponding tests/products are

- A. Tollen's reagent
 B. Schiff's reagent
 C. HCN
 D. NH_2OH
 E. $NaHSO_3$

Choose the correct options from the given below:

- (1) E and D (2) B and C
 (3) A and D (4) B and E

61 'Spin only' magnetic moment is same for which of the following ions?

- A. $Ti^{3+} - d^1$ B. $Cr^{2+} - d^4$
 C. $Mn^{2+} - d^5$ D. $Fe^{2+} - d^6$
 E. $Sc^{3+} - d^0$





Choose the most appropriate answer from the options given below:

- (1) A and D only
~~(2) B and D only~~
 (3) A and E only
 (4) B and C only

62 The Henry's law constant (K_H) values of three gases (A, B, C) in water are 145, 2×10^{-5} and 35 kbar, respectively. The solubility of these gases in water follow the order:

- (1) $A > B > C$ (2) $B > A > C$
~~(3) $B > C > A$~~ (4) $A > C > B$

63 Which one of the following alcohols reacts instantaneously with Lucas reagent?



64 Arrange the following elements in increasing order of electronegativity:

N, O, F, C, Si







Choose the correct answer from the options given below:

- (1) $F < O < N < C < Si$
~~(2) $Si < C < N < O < F$~~
 (3) $Si < C < O < N < F$
 (4) $O < F < N < C < Si$

65 Match List I with List II.

List I (Reaction)

List II (Reagents/Condition)








Choose the correct answer from the options given below:

- (1) A-I, B-IV, C-II, D-III
 (2) A-IV, B-I, C-III, D-II
 (3) A-III, B-I, C-II, D-IV
~~(4) A-IV, B-I, C-II, D-III~~

66 Match List I with List II.

List I
(Conversion)

List II
(Number of Faraday required)




Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-II, D-I
~~(2) A-II, B-IV, C-I, D-III~~
 (3) A-III, B-IV, C-I, D-II
 (4) A-II, B-III, C-I, D-IV

67 Which reaction is NOT a redox reaction?


- ~~(1) $BaCl_2 + Na_2SO_4 \rightarrow BaSO_4 + 2 NaCl$~~
 (2) $Zn + CuSO_4 \rightarrow ZnSO_4 + Cu$
 (3) $2 KClO_3 + I_2 \rightarrow 2 KIO_3 + Cl_2$
 (4) $H_2 + Cl_2 \rightarrow 2 HCl$

- 68 Identify the correct reagents that would bring about the following transformation.



- (1) (i) $\text{H}_2\text{O}/\text{H}^+$
 (ii) PCC
 (2) (i) $\text{H}_2\text{O}/\text{H}^+$
 (ii) CrO_3
 (3) (i) BH_3
 (ii) $\text{H}_2\text{O}_2/\text{OH}^-$
 (iii) PCC
 (4) (i) BH_3
 (ii) $\text{H}_2\text{O}_2/\text{OH}^-$
 (iii) alk. KMnO_4
 (iv) H_3O^+

- 69 The most stable carbocation among the following is:



- 70 Among Group 16 elements, which one does NOT show -2 oxidation state?

- (1) Po (2) O
 (3) Se (4) Te

- 71 The energy of an electron in the ground state ($n = 1$) for He^+ ion is $-x$ J, then that for an electron in $n = 2$ state for Be^{3+} ion in J is :

- (1) $-\frac{4}{9}x$ (2) $-x$
 (3) $-\frac{x}{9}$ (4) $-4x$

- 72 Match List I with List II.

List I
(Molecule)

List II
(Number and types of bond/s between two carbon atoms)

- | | |
|----------------------------------|--|
| A. ethane | I. one σ -bond and two π -bonds |
| B. ethene | II. two π -bonds |
| C. carbon molecule, C_2 | III. one σ -bond |
| D. ethyne | IV. one σ -bond and one π -bond |

Choose the correct answer from the options given below:

- (1) A-III, B-IV, C-I, D-II
 (2) A-I, B-IV, C-II, D-III
 (3) A-IV, B-III, C-II, D-I
 (4) A-III, B-IV, C-II, D-I

- 73 For the reaction $2\text{A} \rightleftharpoons \text{B} + \text{C}$, $K_c = 4 \times 10^{-3}$. At a given time, the composition of reaction mixture is : $[\text{A}] = [\text{B}] = [\text{C}] = 2 \times 10^{-3} \text{ M}$.

Then, which of the following is correct?

- (1) Reaction has gone to completion in forward direction.
 (2) Reaction is at equilibrium.
 (3) Reaction has a tendency to go in forward direction.
 (4) Reaction has a tendency to go in backward direction.

- 74 Given below are two statements:

Statement I : The boiling point of hydrides of Group 16 elements follow the order $\text{H}_2\text{O} > \text{H}_2\text{Te} > \text{H}_2\text{Se} > \text{H}_2\text{S}$.

Statement II : On the basis of molecular mass, H_2O is expected to have lower boiling point than the other members of the group but due to the presence of extensive H-bonding in H_2O , it has higher boiling point.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is false but Statement II is true.
 (2) Both Statement I and Statement II are true.
 (3) Both Statement I and Statement II are false.
 (4) Statement I is true but Statement II is false.

75 1 gram of sodium hydroxide was treated with 25 mL of 0.75 M HCl solution, the mass of sodium hydroxide left unreacted is equal to


- (1) 200 mg (2) 750 mg
(3) 250 mg (4) Zero mg

76 In which of the following equilibria, K_p and K_c are NOT equal?

- (1) $2 \text{BrCl}_{(g)} \rightleftharpoons \text{Br}_{2(g)} + \text{Cl}_{2(g)}$ ✓
(2) $\text{PCl}_{5(g)} \rightleftharpoons \text{PCl}_{3(g)} + \text{Cl}_{2(g)}$ ✗
(3) $\text{H}_{2(g)} + \text{I}_{2(g)} \rightleftharpoons 2 \text{HI}_{(g)}$ ✓
(4) $\text{CO}_{(g)} + \text{H}_2\text{O}_{(g)} \rightleftharpoons \text{CO}_{2(g)} + \text{H}_{2(g)}$ ✓

77 A compound with a molecular formula of C_6H_{14} has two tertiary carbons. Its IUPAC name is:

- (1) 2,2-dimethylbutane
(2) n-hexane
(3) 2-methylpentane
(4) 2,3-dimethylbutane



78 Fehling's solution 'A' is

- (1) aqueous sodium citrate ✗
(2) aqueous copper sulphate ✗
(3) alkaline copper sulphate ✗
(4) alkaline solution of sodium potassium tartrate (Rochelle's salt) ✓

79 Match List I with List II.

List I (Compound)	List II (Shape/geometry)
A. NH_3	I. Trigonal Pyramidal
B. BrF_5	II. Square Planar
C. XeF_4	III. Octahedral
D. SF_6	IV. Square Pyramidal


Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
(2) A-I, B-IV, C-II, D-III ✓
(3) A-II, B-IV, C-III, D-I
(4) A-III, B-IV, C-I, D-II

80 The highest number of helium atoms is in

- (1) 2.271098 L of helium at STP ✗
(2) 4 mol of helium ✓
(3) 4 u of helium ✗
(4) 4 g of helium ✓

81 Which plot of $\ln k$ vs $\frac{1}{T}$ is consistent with Arrhenius equation?



82 Given below are two statements:

Statement I : Aniline does not undergo Friedel-Crafts alkylation reaction. ✓

Statement II : Aniline cannot be prepared through Gabriel synthesis. ✓




In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is incorrect but Statement II is true.
(2) Both Statement I and Statement II are true. ✓
(3) Both Statement I and Statement II are false.
(4) Statement I is correct but Statement II is false.

Chemistry : Section-B (Q. No. 86 to 100)

83 Intramolecular hydrogen bonding is present in

(1) HF



84 In which of the following processes entropy increases?

- A. A liquid evaporates to vapour. ✓
B. Temperature of a crystalline solid lowered from 130 K to 0 K. ✗
C. $2 \text{NaHCO}_3(\text{s}) \rightarrow \text{Na}_2\text{CO}_3(\text{s}) + \text{CO}_2(\text{g}) + \text{H}_2\text{O}(\text{g})$ ✓
D. $\text{Cl}_2(\text{g}) \rightarrow 2 \text{Cl}(\text{g})$ ✓


Choose the correct answer from the options given below:

- (1) C and D (2) A and C
(3) A, B and D (4) A, C and D


85 Match List I with List II.

List I (Complex)


List II (Type of isomerism)




I. Solvate isomerism



II. Linkage isomerism



III. Ionization isomerism



IV. Coordination isomerism

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-III, D-I
(2) A-II, B-III, C-IV, D-I ✓
(3) A-I, B-III, C-IV, D-II ✗
(4) A-I, B-IV, C-III, D-II ✗

86 A compound X contains 32% of A, 20% of B and remaining percentage of C. Then, the empirical formula of X is :

(Given atomic masses of A = 64; B = 40; C = 32 u)

- (1) ABC_4 (2) A_2BC_2
(3) ABC_3 (4) AB_2C_2

87 The rate of a reaction quadruples when temperature changes from 27°C to 57°C . Calculate the energy of activation.

Given $R = 8.314 \text{ J K}^{-1} \text{ mol}^{-1}$, $\log 4 = 0.6021$

- (1) 3804 kJ/mol
(2) 38.04 kJ/mol ✓
(3) 380.4 kJ/mol
(4) 3.80 kJ/mol

88 Given below are certain cations. Using inorganic qualitative analysis, arrange them in increasing group number from 0 to VI.

3. A. Al^{3+} → III 2. B. Cu^{2+} → II
5. C. Ba^{2+} → IV 4. D. Co^{2+} → IV
6. E. Mg^{2+} → II

Choose the correct answer from the options given below:

- (1) E, A, B, C, D
(2) B, A, D, C, E ✓
(3) B, C, A, D, E
(4) E, C, D, B, A

89 The plot of osmotic pressure (Π) vs concentration (mol L^{-1}) for a solution gives a straight line with slope $25.73 \text{ L bar mol}^{-1}$. The temperature at which the osmotic pressure measurement is done is:

(Use $R = 0.083 \text{ L bar mol}^{-1} \text{ K}^{-1}$)


- (1) 12.05°C (2) 37°C ✓
(3) 310°C (4) 25.73°C

90 Mass in grams of copper deposited by passing 9.6487 A current through a voltmeter containing copper sulphate solution for 100 seconds is:

(Given : Molar mass of Cu : 63 g mol^{-1} , $1\text{F} = 96487 \text{ C}$)

- (1) 0.0315 g (2) 3.15 g
(3) 0.315 g ✓ (4) 31.5 g


- 91 Consider the following reaction in a sealed vessel at equilibrium with concentrations of $N_2 = 3.0 \times 10^{-3} \text{ M}$, $O_2 = 4.2 \times 10^{-3} \text{ M}$ and $NO = 2.8 \times 10^{-3} \text{ M}$.






If 0.1 mol $L_{(g)}$ of $NO_{(g)}$ is taken in a closed vessel, what will be degree of dissociation (α) of $NO_{(g)}$ at equilibrium?

- (1) 0.717 (2) 0.00889
(3) 0.0889 (4) 0.8889

- 92 For the given reaction:



'P' is

- (1) 
(2) 
(3) 
(4) 

- 93 The pair of lanthanoid ions which are diamagnetic is

- (1) Pm^{3+} and Sm^{3+}
(2) Ce^{4+} and Yb^{2+}
(3) Ce^{3+} and Eu^{2+}
(4) Gd^{3+} and Eu^{3+}

- 94 The products A and B obtained in the following reactions, respectively, are



- (1) H_3PO_3 and $POCl_3$
(2) $POCl_3$ and H_3PO_3
(3) $POCl_3$ and H_3PO_4
(4) H_3PO_4 and $POCl_3$

- 95 Given below are two statements :


Statement I : $[Co(NH_3)_6]^{3+}$ is a homoleptic complex whereas $[Co(NH_3)_4Cl_2]^+$ is a heteroleptic complex.

Statement II : Complex $[Co(NH_3)_6]^{3+}$ has only one kind of ligands but $[Co(NH_3)_4Cl_2]^+$ has more than one kind of ligands.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is false but Statement II is true.
(2) Both Statement I and Statement II are true.
(3) Both Statement I and Statement II are false.
(4) Statement I is true but Statement II is false.

- 96 Identify the major product C formed in the following reaction sequence :








- (1) α -bromobutanoic acid
(2) propylamine
(3) butylamine
(4) butanamide

- 97 Identify the correct answer.

- (1) Three canonical forms can be drawn for CO_3^{2-} ion.
(2) Three resonance structures can be drawn for ozone.
(3) BF_3 has non-zero dipole moment.
(4) Dipole moment of NF_3 is greater than that of NH_3 .

Botany : Section-A (Q. No. 101 to 135)

- 98 Major products A and B formed in the following reaction sequence, are



- 99 During the preparation of Mohr's salt solution (Ferrous ammonium sulphate), which of the following acid is added to prevent hydrolysis of Fe^{2+} ion?

- (1) dilute sulphuric acid
 (2) dilute hydrochloric acid
 (3) concentrated sulphuric acid
 (4) dilute nitric acid

- 100 The work done during reversible isothermal expansion of one mole of hydrogen gas at 25°C from pressure of 20 atmosphere to 10 atmosphere is:

(Given $R = 2.0 \text{ cal K}^{-1} \text{ mol}^{-1}$)

- (1) 100 calories
 (2) 0 calorie
 (3) -413.14 calories
 (4) 413.14 calories

$W = -2.303 \times nRT \times \log \frac{P_2}{P_1}$
 $= -2.303 \times 1 \times 2 \times 298 \times \log \frac{10}{20}$

- 101 Spindle fibers attach to kinetochores of chromosomes during

- (1) Telophase (2) Prophase
 (3) Metaphase (4) Anaphase

- 102 The capacity to generate a whole plant from any cell of the plant is called:

- (1) Somatic hybridization
 (2) Totipotency
 (3) Micropropagation
 (4) Differentiation

- 103 Bulliform cells are responsible for

- (1) Providing large spaces for storage of sugars.
 (2) Inward curling of leaves in monocots.
 (3) Protecting the plant from salt stress.
 (4) Increased photosynthesis in monocots.

- 104 Given below are two statements:


Statement I : Parenchyma is living but collenchyma is dead tissue.

Statement II : Gymnosperms lack xylem vessels but presence of xylem vessels is the characteristic of angiosperms.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is false but Statement II is true
 (2) Both Statement I and Statement II are true
 (3) Both Statement I and Statement II are false
 (4) Statement I is true but Statement II is false

- 105 Identify the type of flowers based on the position of calyx, corolla and androecium with respect to the ovary from the given figures (a) and (b)



- (1) (a) Perigynous; (b) Perigynous
 (2) (a) Epigynous; (b) Hypogynous
 (3) (a) Hypogynous; (b) Epigynous
 (4) (a) Perigynous; (b) Epigynous

106 Match List I with List II

- | List I | List II |
|--------------------|--|
| A. Nucleolus | I. Site of formation of glycolipid |
| B. Centriole | II. Organization like the cartwheel |
| C. Leucoplasts | III. Site for active ribosomal RNA synthesis |
| D. Golgi apparatus | IV. For storing nutrients |
- Choose the correct answer from the options given below:
- (1) A-I, B-II, C-III, D-IV α
~~(2) A-III, B-II, C-IV, D-I~~
 (3) A-II, B-III, C-I, D-IV α
 (4) A-III, B-IV, C-II, D-I

107 Match List I with List II

- | List I | List II |
|------------------------------------|-------------------|
| A. <i>Clostridium butylicum</i> | I. Ethanol |
| B. <i>Saccharomyces cerevisiae</i> | II. Streptokinase |
| C. <i>Trichoderma polysporum</i> | III. Butyric acid |
| D. <i>Streptococcus</i> sp. | IV. Cyclosporin-A |
- Choose the correct answer from the options given below:
- (1) A-IV, B-I, C-III, D-II α
 (2) A-III, B-I, C-II, D-IV
 (3) A-II, B-IV, C-III, D-I α
~~(4) A-III, B-I, C-IV, D-II~~

- 108 A transcription unit in DNA is defined primarily by the three regions in DNA and these are with respect to upstream and down stream end:
- (1) Promotor, Structural gene, Terminator α
 (2) Repressor, Operator gene, Structural gene
 (3) Structural gene, Transposons, Operator gene
 (4) Inducer, Repressor, Structural gene

109 List of endangered species was released by-

- ~~(1) IUCN~~ (2) GEAC
 (3) WWF (4) FOAM

110 What is the fate of a piece of DNA carrying only gene of interest which is transferred into an alien organism?

- A. The piece of DNA would be able to multiply itself independently in the progeny cells of the organism. α
 B. It may get integrated into the genome of the recipient. $\checkmark$
 C. It may multiply and be inherited along with the host DNA.
 D. The alien piece of DNA is not an integral part of chromosome. α
 E. It shows ability to replicate.

Choose the correct answer from the options given below:

- (1) A and E only
 (2) A and B only
 (3) D and E only
~~(4) B and C only~~

111 A pink flowered Snapdragon plant was crossed with a red flowered Snapdragon plant. What type of phenotype/s is/are expected in the progeny?

- (1) Red, Pink as well as white flowered plants
 (2) Only red flowered plants
~~(3) Red flowered as well as pink flowered plants~~
 (4) Only pink flowered plants

112 Match List I with List II

- | List I | List II |
|--------------------|------------------|
| A. <i>Rhizopus</i> | I. Mushroom |
| B. <i>Ustilago</i> | II. Smut fungus |
| C. <i>Puccinia</i> | III. Bread mould |
| D. <i>Agaricus</i> | IV. Rust fungus |

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I α
~~(2) A-III, B-II, C-IV, D-I~~
 (3) A-I, B-III, C-II, D-IV α
 (4) A-III, B-II, C-I, D-IV

113 Hind II always cuts DNA molecules at a particular point called recognition sequence and it consists of:

- (1) 10 bp (2) 8 bp
(3) 6 bp (4) 4 bp

114 Which one of the following can be explained on the basis of Mendel's Law of Dominance?

- A. Out of one pair of factors one is dominant and the other is recessive. ✓
B. Alleles do not show any expression and both the characters appear as such in F₂ generation. ✗
C. Factors occur in pairs in normal diploid plants. ✓
D. The discrete unit controlling a particular character is called factor. ✓
E. The expression of only one of the parental characters is found in a monohybrid cross.

Choose the correct answer from the options given below:

- (1) A, B, C, D and E
(2) A, B and C only
(3) A, C, D and E only
(4) B, C and D only

115 The type of conservation in which the threatened species are taken out from their natural habitat and placed in special setting where they can be protected and given special care is called:

- (1) Sustainable development ✗
(2) *in-situ* conservation ✗
(3) Biodiversity conservation ✓
(4) Semi-conservative method ✗

116 Auxin is used by gardeners to prepare weed-free lawns. But no damage is caused to grass as auxin

- (1) can help in cell division in grasses, to produce growth.
(2) promotes apical dominance.
(3) promotes abscission of mature leaves only.
(4) does not affect mature monocotyledonous plants.

117 Which of the following is an example of actinomorphic flower?

- (1) *Sesbania* (2) *Datura* ✓
(3) *Cassia* (4) *Pisum*

118 The cofactor of the enzyme carboxypeptidase is:

- (1) Haem (2) Zinc ✓
(3) Niacin (4) Flavin

119 The equation of Verhulst-Pearl logistic growth is

$$\frac{dN}{dt} = rN \left[\frac{K-N}{K} \right]$$

From this equation, K indicates:

- (1) Population density
(2) Intrinsic rate of natural increase
(3) Biotic potential
(4) Carrying capacity ✓

120 Inhibition of Succinic dehydrogenase enzyme by malonate is a classical example of:

- (1) Enzyme activation
(2) Cofactor inhibition
(3) Feedback inhibition
(4) Competitive inhibition ✓

121 Given below are two statements:

Statement I : Chromosomes become gradually visible under light microscope during leptotene stage. ✓

Statement II : The beginning of diplotene stage is recognized by dissolution of synaptonemal complex. ✓

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is false but Statement II is true
(2) Both Statement I and Statement II are true ✓
(3) Both Statement I and Statement II are false
(4) Statement I is true but Statement II is false


122 Tropical regions show greatest level of species richness because

- A. Tropical latitudes have remained relatively undisturbed for millions of years, hence more time was available for species diversification. ✓
- B. Tropical environments are more seasonal. ✗
- C. More solar energy is available in tropics. ✓
- D. Constant environments promote niche specialization. ✓
- E. Tropical environments are constant and predictable. ✓

Choose the correct answer from the options given below:

- (1) A, B and D only
- (2) A, C, D and E only
- (3) A and B only
- (4) A, B and E only

123 Identify the part of the seed from the given figure which is destined to form root when the seed germinates.



124 These are regarded as major causes of biodiversity loss:

- A. Over exploitation ✓
- B. Co-extinction ✓
- C. Mutation
- D. Habitat loss and fragmentation ✓
- E. Migration

Choose the correct option:

- (1) A, B and D only
- (2) A, C and D only
- (3) A, B, C and D only
- (4) A, B and E only

125 Identify the set of correct statements:

- A. The flowers of *Vallisneria* are colourful and produce nectar. ✗
- B. The flowers of waterlily are not pollinated by water. ✓
- C. In most of water-pollinated species, the pollen grains are protected from wetting. ✓
- D. Pollen grains of some hydrophytes are long and ribbon like. ✓
- E. In some hydrophytes, the pollen grains are carried passively inside water. ✓

Choose the correct answer from the options given below:

- (1) B, C, D and E only
- (2) C, D and E only
- (3) A, B, C and D only
- (4) A, C, D and E only

126 Given below are two statements:

Statement I : Bt toxins are insect group specific and coded by a gene *cry* IAc. ✗

Statement II : Bt toxin exists as inactive protoxin in *B. thuringiensis*. However, after ingestion by the insect the inactive protoxin gets converted into active form due to acidic pH of the insect gut. ✗

In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is false but Statement II is true
- (2) Both Statement I and Statement II are true
- (3) Both Statement I and Statement II are false
- (4) Statement I is true but Statement II is false

127 Match List I with List II

List I	List II
A. Two or more alternative forms of a gene	I. Back cross
B. Cross of F_1 progeny with homozygous recessive parent	II. Ploidy
C. Cross of F_1 progeny with any of the parents	III. Allele
D. Number of chromosome sets in plant	IV. Test cross

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-I, B-II, C-III, D-IV
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-IV, C-I, D-II

128 In a plant, black seed color (BB/Bb) is dominant over white seed color (bb). In order to find out the genotype of the black seed plant, with which of the following genotype will you cross it?

- (1) BB/Bb (2) BB
~~(3) bb~~ (4) Bb

129 Lecithin, a small molecular weight organic compound found in living tissues, is an example of:

- (1) Carbohydrates
 (2) Amino acids
~~(3) Phospholipids~~
 (4) Glycerides

130 How many molecules of ATP and NADPH are required for every molecule of CO_2 fixed in the Calvin cycle?

- ~~(1) 3 molecules of ATP and 2 molecules of NADPH~~
 (2) 2 molecules of ATP and 3 molecules of NADPH
 (3) 2 molecules of ATP and 2 molecules of NADPH
 (4) 3 molecules of ATP and 3 molecules of NADPH


131 Formation of interfascicular cambium from fully developed parenchyma cells is an example for

- (1) Maturation
 (2) Differentiation
 (3) Redifferentiation
~~(4) Dedifferentiation~~

132 Which one of the following is not a criterion for classification of fungi?

- (1) Fruiting body
 (2) Morphology of mycelium
~~(3) Mode of nutrition~~
 (4) Mode of spore formation

133 In the given figure, which component has thin outer walls and highly thickened inner walls?



- (1) B ~~(2) C~~
 (3) D (4) A

134 The lactose present in the growth medium of bacteria is transported to the cell by the action of:

- (1) Polymerase
 (2) Beta-galactosidase
 (3) Acetylase
~~(4) Permease~~

135 Which of the following are required for the dark reaction of photosynthesis?

- A. Light
 B. Chlorophyll
 C. CO_2
 D. ATP
 E. NADPH

Choose the correct answer from the options given below:

- (1) D and E only
 (2) A, B and C only
 (3) B, C and D only
~~(4) C, D and E only~~

Botany : Section-B (Q. No. 136 to 150)


136 Match List I with List II

List I	List II
A. Citric acid cycle	I. Cytoplasm
B. Glycolysis	II. Mitochondrial matrix
C. Electron transport system	III. Intermembrane space of mitochondria
D. Proton gradient	IV. Inner mitochondrial membrane

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-I, B-II, C-III, D-IV
- ☒ (3) A-II, B-I, C-IV, D-III
- (4) A-III, B-IV, C-I, D-II

137 Identify the correct description about the given figure:



- (1) Compact inflorescence showing complete autogamy.
- (2) Wind pollinated plant inflorescence showing flowers with well exposed stamens.
- (3) Water pollinated flowers showing stamens with mucilaginous covering.
- (4) Cleistogamous flowers showing autogamy.

138 Spraying sugarcane crop with which of the following plant growth regulators, increases the length of stem, thus, increasing the yield?

- (1) Abscissic acid
- ☒ (2) Auxin
- ☒ (3) Gibberellin
- (4) Cytokinin

139 In an ecosystem if the Net Primary Productivity (NPP) of first trophic level is $100x \text{ (kcal m}^{-2}\text{) yr}^{-1}$, what would be the GPP (Gross Primary Productivity) of the third trophic level of the same ecosystem?

- (1) $\frac{100x}{3x} \text{ (kcal m}^{-2}\text{) yr}^{-1}$
- (2) $\frac{x}{10} \text{ (kcal m}^{-2}\text{) yr}^{-1}$
- (3) $x \text{ (kcal m}^{-2}\text{) yr}^{-1}$
- (4) $10x \text{ (kcal m}^{-2}\text{) yr}^{-1}$

140 Which of the following are fused in somatic hybridization involving two varieties of plants?

- (1) Pollens
- (2) Callus
- (3) Somatic embryos
- (4) Protoplasts

141 Match List I with List II

List I (Types of Stamens)	List II (Example)
A. Monadelphous	I. Citrus
B. Diadelphous	II. Pea
C. Polyadelphous	III. Lily
D. Epiphyllous	IV. China-rose

Choose the correct answer from the options given below:

- (1) A-III, B-I, C-IV, D-II
- ☒ (2) A-IV, B-II, C-I, D-III
- (3) A-IV, B-I, C-II, D-III
- (4) A-I, B-II, C-IV, D-III

142 Which of the following statement is correct regarding the process of replication in *E.coli*?

- ☒ (1) The DNA dependent DNA polymerase catalyses polymerization in $5' \rightarrow 3'$ direction.
- (2) The DNA dependent DNA polymerase catalyses polymerization in one direction that is $3' \rightarrow 5'$.
- (3) The DNA dependent RNA polymerase catalyses polymerization in one direction, that is $5' \rightarrow 3'$.
- (4) The DNA dependent DNA polymerase catalyses polymerization in $5' \rightarrow 3'$ as well as $3' \rightarrow 5'$ direction.